

Angola

Total number of states \ provinces: 18

Immunization

Immunization coverage (2010 nat. WHO-UNICEF estimates) DTP3 91% Pol3 92%

Non Polio AFP Profile

<i>Percent 0-dose (national)</i> <b>12.3%</b>	<i>Percent states with &lt; 10% 0-dose NPAFP children</i> Non-adjusted <b>66.7% (2 of 3)</b> % within acceptable range <b>66.7% (2 of 3)</b>
<i>Percent 4+ doses (national)</i> <b>32%</b>	<i>Percent states with &gt; 80% 4+dose NPAFP children</i> Non-adjusted <b>0% (0 of 3)</b> % within acceptable range <b>0% (0 of 3)</b>

Independent Monitoring (IM data were not collected, or were not available in detail for all rounds shown)

<i>Campaign type</i>  (mixed rounds abbreviated as: t, b, 1, 3)	<i>Start date</i>	<i>National indicator</i>		<i>Sub national indicator</i>	
		Percent missed children (finger marking)		Percent of states with < 10% missed children	
		House to House (%)	Out of house (%)	House to House	Out of house
SNID-mOPV1	25-Feb-11	6.7	7.5	100% (6 of 6)	83% (5 of 6)
NID-bOPV+m1	25-Mar-11	7.3	8.4	72% (13 of 18)	67% (12 of 18)
NID-bOPV+m1	28-Apr-11	6.1	8	100% (15 of 15)	87% (13 of 15)
NID-bOPV+m1	27-May-11	6.7	7.7	93% (14 of 15)	87% (13 of 15)
SNID-bOPV	08-Jul-11	8.6	8	75% (3 of 4)	75% (3 of 4)
SNID-OPVb	28-Oct-11				
SNID-mOPV1	25-Nov-11	10	10.4	86% (6 of 7)	86% (6 of 7)
SNID-OPVm1	09-Dec-11				

Surveillance

Polio Cases (W1, W3, and VDPVs)

<i>Serotype</i>	<i>Count</i>				<i>Date of onset for last case</i>
	2010 (Jan-Dec)		2011 (Jan-present)		
	cases	districts	cases	districts	
W1	33	18	5	2	07-Jul-11

Non Polio AFP data

<i>NPAFP rate (national)</i> <b>2.4</b>	<i>Percent states with NPAFP rate &gt;= 2</i> Non-adjusted <b>61.1% (11 of 18)</b> % within acceptable range <b>88.9% (16 of 18)</b>
<i>% adequate stools (nat.)</i> <b>88.8%</b>	<i>Percent states with adequate stool proportion &gt;= 80%</i> Non-adjusted <b>88.9% (16 of 18)</b> % within acceptable range <b>94.4% (17 of 18)</b>
<i>Percent of population &lt;15 years of age living in states / prov. where both surveillance indicators are met</i> <b>45.8%</b>	

Poliovirus History

Four of the 5 WPV1 viruses in Angola during 2011 represent a continuing outbreak resulting from importation from India in 2007. These cases were located in the southern part of the country. These cases represent continued circulation from 2010 and not a new importation, marking the fourth consecutive year of transmission of this virus. One case in the northern part of the country represents an importation of virus across the border from the Democratic Republic of Congo. Based on the close genetic linkage among the 2011 isolates and between the imported virus and other DRC viruses, there is little indication of gaps in surveillance.

Data Completeness

Percent of NPAFP cases with unknown age	<b>0%</b>
Percent of 6-35 month old NPAFP cases with unknown dose history	<b>6.6%</b>