

Democratic Republic of Congo

Total number of states \ provinces: 11

Immunization

Immunization coverage (2010 nat. WHO-UNICEF estimates) **DTP3 63% Pol3 72%**

Non Polio AFP Profile

<i>Percent 0-dose (national)</i> <b>6%</b>	<i>Percent states with &lt; 10% 0-dose NPAFP children</i> Non-adjusted <b>81.8% (9 of 11)</b> % within acceptable range <b>90.9% (10 of 11)</b>
<i>Percent 4+ doses (national)</i> <b>40.1%</b>	<i>Percent states with &gt; 80% 4+dose NPAFP children</i> Non-adjusted <b>0% (0 of 11)</b> % within acceptable range <b>0% (0 of 11)</b>

Independent Monitoring (IM data were not collected, or were not available in detail for all rounds shown)

<i>Campaign type</i>  (mixed rounds abbreviated as: t, b, 1, 3)	<i>Start date</i>	<i>National indicator</i>		<i>Sub national indicator</i>	
		Percent missed children (finger marking)		Percent of states with < 10% missed children	
		House to House (%)	Out of house (%)	House to House	Out of house
SNID-mOPV1	20-Jan-11	9.1	6.1	50% (1 of 2)	100% (2 of 2)
SNID-tOPV+m1	24-Feb-11	6.6	5.3	80% (4 of 5)	75% (3 of 4)
SNID-mOPV1	23-Mar-11	4.3	11.7	100% (1 of 1)	0% (0 of 1)
SNID-tOPV	31-Mar-11	5.3	4.6	100% (1 of 1)	100% (1 of 1)
NID-bOPV+m1	28-Apr-11	9	10.1	73% (8 of 11)	55% (6 of 11)
NID-bOPV+t	26-May-11	6	7.4	91% (10 of 11)	82% (9 of 11)
SNID-mOPV1	25-Jun-11	10.2	13	80% (4 of 5)	80% (4 of 5)
SNID-mOPV1	14-Jul-11	3.4	3.5	100% (2 of 2)	100% (2 of 2)
SNID-mOPV1	28-Jul-11	6.6	8.7	100% (3 of 3)	100% (3 of 3)
SNID-mOPV1	25-Aug-11	7.1	8.9	100% (5 of 5)	80% (4 of 5)
SNID-mOPV1	08-Sep-11	7.8	10.1	80% (4 of 5)	80% (4 of 5)
NID-bOPV+m1	20-Oct-11	6.2	8	100% (11 of 11)	73% (8 of 11)
SNID-mOPV1	10-Nov-11	5.3	7.9	83% (5 of 6)	67% (4 of 6)

Surveillance

Polio Cases (W1, W3, and VDPVs)

<i>Serotype</i>	<i>Count</i>				<i>Date of onset for last case</i>
	2010 (Jan-Dec)		2011 (Jan-present)		
	cases	districts	cases	districts	
W1	100	31	92	38	28-Nov-11
cVDPV 2	14	10	2	1	21-Oct-11

Non Polio AFP data

<i>NPAFP rate (national)</i> <b>4.6</b>	<i>Percent states with NPAFP rate &gt;= 2</i> Non-adjusted <b>100% (11 of 11)</b> % within acceptable range <b>100% (11 of 11)</b>
<i>% adequate stools (nat.)</i> <b>79.4%</b>	<i>Percent states with adequate stool proportion &gt;= 80%</i> Non-adjusted <b>36.4% (4 of 11)</b> % within acceptable range <b>54.6% (6 of 11)</b>
<i>Percent of population &lt;15 years of age living in states / prov. where both surveillance indicators are met</i> <b>36.1%</b>	

Poliovirus History

The WPV1 viruses detected in 2011 represent at least six new importation events from Angola and Republic of Congo, with significant local circulation of viruses in a single genetic cluster. In addition, 8 WPV1 cases represent continued circulation in 2011 of virus in a different genetic cluster. This cluster had reappeared in 2010 after having been detected last in eastern DRC in mid-2008. There was little indication of missed chains of transmission based upon the close genetic linkage among isolates.

**Democratic Republic of Congo**

Total number of states \ provinces: 11

Data Completeness

Percent of NPAFP cases with unknown age

**0.1%**

Percent of 6-35 month old NPAFP cases with unknown dose history

**12.2%**